

• Disinfects • Cleans • Ready-to-Use

Use Fresh 100 in: Bathrooms, Public facilities, Shower and bath areas, Schools, Day care centers, Hotels, Health Care Facilities, Institutional facilities, Exercise facilities and Nursing homes. Kills: Bacteria: Pseudomonas aeruginosa (Pseudomonas), Staphylococcus aureus (Staph), Salmonella enterica (Salmonella), Streptococcus pyogenes (Strep); Viruses: \*Herpes Simplex Virus Type 2 (Herpes), \*HIV-1 (the AIDS virus), \*Influenza Type A / Brazil virus (Influenza); Fungi: Aspergillus niger, Trichophyton mentagrophytes (Athlete's Foot Fungus) (Cause of Ringworm).

• Kills Pandemic 2009 H1N1 influenza A virus.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DISINFECTION / \*VIRUCIDAL / FUNGICIDAL / MOLD & MILDEW DIRECTIONS:**


If surfaces are visibly dirty pre-clean first. Apply Fresh 100 with a mop, sponge, cloth, or sprayer on hard, nonporous surfaces to thoroughly wet surfaces. For sprayer applications use a coarse spray device. Spray 6 - 8 inches from surface. Avoid breathing spray. Rub with a brush, sponge or cloth. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth, or sponge or allow to air dry. Rinsing is not necessary on floor surfaces that are to be waxed or polished. For mold and mildew control, repeat application weekly or when growth reappears. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product should not be used to clean utensils, glassware and dishes. This product is not for use on medical device surfaces.

**TO CLEAN AND DISINFECT TOILET BOWLS AND URINALS:**

Remove gross filth from bowl. Remove or expel over the inner trap residual bowl water. Use 4 ounces of product in toilet bowl or urinal. Apply directly around bowl and under rim; then brush or swab thoroughly. Allow product to remain on surface for a contact time of 10 minutes; then flush toilet. This product, when used as directed, will not harm white or colored bowls or inanimate, hard surfaces. Close cap on container after use.

See other side panel for continued DIRECTIONS FOR USE.

**Multi-Clean**  
600 Cardigan Road  
Shoreview Minnesota  
651-481-1900



9-13-17

**Multi-Clean**

**Fresh Scent**

# Fresh 100

**One Step \*Virucidal  
Ready To Use Germicide  
Cleaner Disinfectant**

**Fresh 100 delivers non-acid disinfectant and cleaning performance.**

**Use Fresh 100 on washable hard, nonporous surfaces of: Toilets, Urinals, Sinks, Countertops and Bathroom Fixtures.**

**ACTIVE INGREDIENTS:**

n-Alkyl (C<sub>14</sub> 60%, C<sub>16</sub> 30%, C<sub>12</sub> 5%, C<sub>18</sub> 5%)  
dimethyl benzyl ammonium chloride ..... 0.09%  
n-Alkyl (C<sub>12</sub> 50%, C<sub>14</sub> 30%, C<sub>16</sub> 17%, C<sub>18</sub> 3%)  
dimethyl ethylbenzyl ammonium chloride ..... 0.09%

**OTHER INGREDIENTS** ..... 99.82%  
**TOTAL:** ..... 100.00%

**EPA Reg. No. 47371-97-5449  
EPA Est. No. 5449-MN-001**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for  
Precautionary Statements and First Aid

**Net Contents 1 Quart (946ml)**

**DIRECTIONS FOR USE (Continued)**

\*KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surface/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES / OBJECTS SOILED WITH BLOOD/BODY FLUIDS.** Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. Contact Time: Effective against HIV-1 (AIDS virus) on hard, nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) (providing 1800 ppm of active quaternary) for a contact time of 5 minutes at room temperature (20-25°C). Use a ten minute contact time for disinfection against all other bacteria, fungi and viruses claimed. Disposal of Infectious Materials: Blood and other body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION.** Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Container Disposal: Non-Refillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.