1. Identification

Product Identity: Emerald

Recommended Use: Water-borne floor polish

Producer / Distributor

Multi-Clean 600 Cardigan Road Shoreview, MN 55126

Telephone Number for Information: 651-481-1900 Emergency Telephone Number: 800-255-3924



Environment Class

2. Hazard Identification

Classification:

Health Class

Mild Skin Irritation Category 3 Eye Irritant Category 2

Label

Symbols



Signal Word Warning

Hazard Statements:

Causes mild skin irritation.

Causes eye irritation.

Precautionary Statements:

Wash hands thoroughly after handling.

Wear eye protection.

If skin irritation occurs: Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Physical Class

| 3. Composition/Information on Ingredients Ingredient | CAS Number | Percent by Weight |
|--|-------------|----------------------|
| Emulsified Acrylic Polymers | Proprietary | 10 - 30 |
| Tributoxyethyl Phosphate | 78-51-3 | 1 - 5 |
| Diethylene Glycol Ethyl Ether | 111-90-0 | 1 - 5 |
| Emulsified Polymer Wax | Proprietary | 5 - 10 |
| Water | 7732-18-5 | 60 - 100 |

4. First-Aid Measures:

Ingestion: If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by

mouth to an unconscious person.

Eye Contact: Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.

Skin Contact: Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.

Inhalation: Move to fresh air.

5. Fire Fighting Measures:

Suitable Extinguishing Media: Not Applicable

Special Fire Fighting Procedures: Not Applicable

Unusual Fire and Explosion Hazards Not Applicable

Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:

Exposure Limits
Ingredients

CAS Number
Osha PEL
ACGIH TLV

XXXX
XXX
XXX
XXX

Exposure Controls

Engineering Controls: Normal good ventilation is sufficient

Personal Protective Equipment:

Eye Protection: Approved Safety Goggles or Glasses **Skin Protection:** Chemical Resistant Rubber Gloves

Respiratory Protection: Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State: Liquid pH: 6-8

Appearance: Milky White Specific Gravity (H2O = 1): 1.02

Odor: Mild Acrylic Flammability: None
Solubility: Complete Flash Point: None

Evaporation Rate: NA Boiling Point: > 212° F (100°C)

Vapor Pressure (MM HG): NA %volatile: 80%

Vapor Density (Air = 1): > 1

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: None are known

Incompatability (Materials to Avoid): None are known Hazardous Decomposition or By-products: None

Hazardous Polymerization: Will not Occur Conditions to Avoid: None are known

11. Toxicological Information:

Signs and Symptoms of Overexposure: Causes irritation on contact

Acute Effects:

Eye Contact: Causes irritation on contact

Skin Contact: Causes mild irritation on prolonged or repeated contact

Inhalation: None Known

Ingestion: May be harmful if swallowed

Target Organ Effects: None Known Chronic Effects: None Known

Acute Toxicity Values:

Oral LD $_{50}$ > 5000 mg/kg Dermal LD $_{50}$ > 5000 mg/kg

Inhalation (Vapor) LC 50 Vapors Considered Non-Toxic

12. Ecological Information:

Persistence and Degradability: Not Available Bio Accumulative Potential: Not Available

Mobility in Soil: Not Available Aquatic Toxicity: Not Available

13. Disposal Considerations:

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations. Waste from normal cleaning procedures may be disposed of in a sanitary sewer depending on the materials and/or contaminants being cleaned as well as local, state and federal sewer regulations.

14. Transportation Information:

UN Number: None

Shipping Name: Buffing or Polishing Compound

Transport Hazard Class: None

Packing Group: None Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: None of the chemicals in this product are listed under the CWA

Clean Air Act: Glycol Ethers (Diethylene Glycol Monoethyl Ether(111-90-0)) is listed as a hazardous air pollutant (HAP)

CERCLA Reportable Quantity: None

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals: None Listed Section 311 / 312 Hazard Category: Immediate Health

Section 313 Toxic Chemicals Glycol Ethers (Diethylene Glycol Monoethyl Ether (111-90-0))

State Regulations: None

International Regulations: WHMIS Controlled Product Hazard Class: D2B

California Cleaning Product Right to Know Act of 2017 (SB 258)

| Raw Material | CAS No | Function | List |
|--|-------------|-----------------|----------------|
| Water | 7732-18-5 | Diluent | Not Applicable |
| metals-free polymer | Withheld | Film Former | Not Applicable |
| Wax Emulsion | Witheld | Film Former | Not Applicable |
| Wax Emulsion | Proprietary | Film Former | Not Applicable |
| Diethylene Glycol Monomethyl Ether | 111-90-0 | Solvent | Not Applicable |
| tris(2-butoxyethyl) phosphate | 78-51-3 | Stabilizer | Not Applicable |
| Ethylene/Propylene Glycol Benzoate Blend | Withheld | Plasticizer | Not Applicable |
| Dipropylene glycol methyl ether | 34590-94-8 | Solvent | Not Applicable |
| Polydimethylsiloxane Emulsion | Withheld | Defoaming Agent | Not Applicable |
| Isothiazolinone | 26172-55-4 | Biocide | Not Applicable |
| Fluorosurfactant | Proprietary | Wetting Agent | Not Applicable |

16. Other Information:

Prepared By: Jeremy Waldner Telephone Number: 651-481-1900 Revision Date: 1/1/2020

Supersedes: 8/23/2018

This SDS applies to the following Part

Numbers 904183

904185 904187 The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



| Health | |
|------------------|---|
| Flammability | |
| Physical hazards | 0 |