

1. Identification**Product Identity:** LD 1000**Recommended Use:** Water-borne floor Coating**Producer / Distributor**Multi-Clean
600 Cardigan Road
Shoreview, MN 55126**Telephone Number for Information:** 651-481-1900**Emergency Telephone Number:** 800-255-3924

89

**2. Hazard Identification****Classification:****Health Class**Mild Skin Irritation Category 3
Eye Irritant Category 2
Reproductive Toxicity Category 2
Specific Target Organ Toxicity - Single Exposure Category 2
Specific Target Organ Toxicity - Repeated Exposure Category 2**Physical Class****Environment Class****Label****Symbols****Signal Word** Warning**Hazard Statements:**Causes mild skin irritation.
Causes eye irritation.
Suspected of damaging fertility or the unborn child.
May cause damage to central nervous system, kidneys, liver, spleen, red blood cells, and/or lungs through prolonged or repeated exposure.**Precautionary Statements:**Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
If skin irritation occurs: Get medical attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical attention.
Get medical attention if you feel unwell.
Store locked up
Dispose of contents in accordance with local regulations.**3. Composition/Information on Ingredients**

Ingredient	CAS Number	Percent by Weight
Emulsified Acrylic Copolymers	Proprietary	10 - 30
Dipropylene Glycol Methyl Ether	34590-94-8	1 - 5
Diethylene Glycol Monobutyl Ether	112-34-5	1 - 5
Ethylene Glycol	107-21-1	1 - 5
Propylene Glycol n-Butyl Ether	5131-66-8	1 - 5
Water	7732-18-5	60 - 100

4. First-Aid Measures:**Ingestion:** If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by mouth to an unconscious person.**Eye Contact:** Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.**Skin Contact:** Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.**Inhalation:** Move to fresh air.**5. Fire Fighting Measures:****Suitable Extinguishing Media:** Not Applicable**Special Fire Fighting Procedures:** Not Applicable**Unusual Fire and Explosion Hazards** Not Applicable

6. Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:**Exposure Limits**

Ingredients	CAS Number	Osha PEL	ACGIH TLV
Dipropylene Glycol Methyl Ether	34590-94-8	100 ppm	100 ppm
Ethylene Glycol			

Exposure Controls

Engineering Controls: Normal good ventilation is sufficient

Personal Protective Equipment:

Eye Protection: Approved Safety Goggles or Glasses

Skin Protection: Chemical Resistant Rubber Gloves

Respiratory Protection: Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State: Liquid

Appearance: Milky White

Odor: Mild Acrylic

Solubility: Complete

Evaporation Rate: NA

Vapor Pressure (MM HG): NA

Vapor Density (Air = 1): > 1

pH: 8 - 9

Specific Gravity (H₂O = 1): 1.02

Flammability: None

Flash Point: None

Boiling Point: > 212° F (100°C)

%volatile: 79%

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: None are known

Incompatibility (Materials to Avoid): None are known

Hazardous Decomposition or By-products: None

Hazardous Polymerization: Will not Occur

Conditions to Avoid: None are known

11. Toxicological Information:

Signs and Symptoms of Overexposure: Causes irritation on contact

Acute Effects:

Eye Contact: Causes irritation on contact

Skin Contact: Causes mild irritation on prolonged or repeated contact

Inhalation: None Known

Ingestion: May be harmful if swallowed

Target Organ Effects: Central nervous system, Kidneys, Liver, Spleen, Red blood cells, Lungs and Suspected of damaging fertility or the

Chronic Effects: May cause damage to central nervous system, kidneys, liver, spleen, red blood cells, and/or lungs through prolonged or repeated exposure.

Acute Toxicity Values:

Oral LD₅₀ > 5000 mg/kg

Dermal LD₅₀ > 5000 mg/kg

Inhalation (Vapor) LC₅₀ Vapors Considered Non-Toxic

12. Ecological Information:

Persistence and Degradability: Product is Readily Biodegradable

Bio Accumulative Potential: Not Available

Mobility in Soil: Not Available

Aquatic Toxicity: Not Available

13. Disposal Considerations:

Sanitary landfill or sewer in accordance with existing pollution control ordinances.

14. Transportation Information:

UN Number: None
Shipping Name: Buffing or Polishing Compound
Transport Hazard Class: None
Packing Group: None
Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed
Clean Water Act: None of the chemicals in this product are listed under the CWA
Clean Air Act: Glycol Ethers (Diethylene Glycol Butyl Ether(112-34-5)) is listed as a hazardous air pollutant (HAP)
CERCLA Reportable Quantity: None
SARA Title III Information:
Section 302 Extremely Hazardous Chemicals: None Listed
Section 311 / 312 Hazard Category: Immediate Health
Section 313 Toxic Chemicals Glycol Ethers (Diethylene Glycol Butyl Ether(112-34-5))
State Regulations: None
International Regulations: WHMIS Controlled Product Hazard Class: D2B


California Cleaning Product Right to Know Act of 2017 (SB 258)

Raw Material	CAS No	Function	List
Acrylic Polymers	Withheld	Film Former	Not Applicable
Water	7732-18-5	Diluent	Not Applicable
Dipropylene glycol methyl ether	34590-94-8	Solvent	Not Applicable
Propylene Glycol Monobutyl Ether	5131-66-8	Solvent	Not Applicable
Ethene Homopolymer	68441-17-8	Film Former	Not Applicable
Diethylene Glycol Butyl Ether	112-34-5	Solvent	Not Applicable
1,2-Ethanediol	107-21-1	Solvent	Not Applicable
Ethylene/Propylene Glycol Benzoate Blend	Withheld	Plasticizer	Not Applicable
tris(2-butoxyethyl) phosphate	78-51-3	Stabilizer	Not Applicable
Ammonium Hydroxide	1336-21-6	Buffer	Not Applicable
Isothiazolinone	26172-55-4	Biocide	Not Applicable
Polydimethylsiloxane Emulsion	Withheld	Defoaming Agent	Not Applicable
Fluorosurfactant	Proprietary	Wetting Agent	Not Applicable

16. Other Information:

Prepared By: Jeremy Waldner
Telephone Number: 651-481-1900
Revision Date: 1/1/2020
Supersedes: 6/7/2013
This SDS applies to the following Part Numbers
 904963
 904965
 906957

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



Health	1
Flammability	0
Physical hazards	0