

**1. Identification****Product Identity:** Pro-Floor Extreme**Recommended Use:** Water-borne wood floor Coating**Producer / Distributor**Multi-Clean  
600 Cardigan Road  
Shoreview, MN 55126**Telephone Number for Information:** 651-481-1900**Emergency Telephone Number:** 800-255-3924

92

**2. Hazard Identification****Classification:****Health Class**

Eye Irritant Category 2

**Physical Class****Environment Class****Label****Symbols****Signal Word** Warning**Hazard Statements:**

Causes eye irritation.

**Precautionary Statements:**

Wash hands thoroughly after handling.

Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

**3. Composition/Information on Ingredients**

Ingredient	CAS Number	Percent by Weight
Aliphatic Polyester Polyurethane Emulsion	Proprietary	20 - 30
Acrylic Polymer	Proprietary	1 - 10
Polyurethane resin	Proprietary	1 - 5
Dipropylene Glycol Monobutyl Ether	29911-28-2	1 - 10
Water	7732-18-5	50 - 100

**4. First-Aid Measures:****Ingestion:** If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by mouth to an unconscious person.**Eye Contact:** Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.**Skin Contact:** Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.**Inhalation:** Move to fresh air.**5. Fire Fighting Measures:****Suitable Extinguishing Media:** Not Applicable**Special Fire Fighting Procedures:** Not Applicable**Unusual Fire and Explosion Hazards** Not Applicable**6. Accidental Release Measures:**

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

**7. Handling and Storage:****Handling:** Keep from freezing. Keep out of reach of children.**Storage:** Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

**8. Exposure Controls / Personal Protection:****Exposure Limits****Ingredients**

None Listed

**CAS Number**

XXXX

**Osha PEL**

XXX

**ACGIH TLV**

XXX

**Exposure Controls****Engineering Controls:** Normal good ventilation is sufficient**Personal Protective Equipment:****Eye Protection:** Approved Safety Goggles or Glasses**Skin Protection:** Chemical Resistant Rubber (Neoprene)Gloves**Respiratory Protection:** Not required, An organic vapor mask with dust/mist filter is recommended when spraying product**9. Physical and Chemical Properties:****Physical State:** Liquid**pH:** 7 - 8**Appearance:** Milky White**Specific Gravity (H<sub>2</sub>O = 1):** 1.03**Odor:** Mild**Flammability:** None**Solubility:** Complete**Flash Point:** None**Evaporation Rate:** NA**Boiling Point:** > 212° F (100°C)**Vapor Pressure (MM HG):** NA**%volatile:** 70%**Vapor Density (Air = 1):** NA**10. Stability and Reactivity:****Chemical Stability:** Stable**Possibility of Hazardous Reactions:** None are known**Incompatibility (Materials to Avoid):** None are known**Hazardous Decomposition or By-products:** None**Hazardous Polymerization:** Will not Occur**Conditions to Avoid:** None are known**11. Toxicological Information:****Signs and Symptoms of Overexposure:** Causes irritation on contact**Acute Effects:****Eye Contact:** Causes irritation on contact**Skin Contact:** May cause irritation on prolonged contact**Inhalation:** None Known**Ingestion:** May be harmful if swallowed**Target Organ Effects:** None Known**Chronic Effects:** None Known**Acute Toxicity Values:****Oral LD<sub>50</sub>** > 5000 mg/kg**Dermal LD<sub>50</sub>** > 5000 mg/kg**Inhalation (Vapor) LC<sub>50</sub>** > 50 mg/l**12. Ecological Information:****Persistence and Degradability:** Not Available**Bio Accumulative Potential:** Not Available**Mobility in Soil:** Not Available**Aquatic Toxicity:** Not Available**13. Disposal Considerations:**

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations.

**14. Transportation Information:****UN Number:** None**Shipping Name:** Paint, Lacquer, or Varnish**Transport Hazard Class:** None**Packing Group:** None**Marine Pollutant:** NO

**15. Regulatory Information:**

**TSCA Status:** All ingredients listed

**Clean Water Act:** None of the chemicals in this product are listed under the CWA

**Clean Air Act:** None of the chemicals in this product are listed under the CAA

**CERCLA Reportable Quantity:** None

**SARA Title III Information:**

**Section 302 Extremely Hazardous Chemicals:** None Listed

**Section 311 / 312 Hazard Category:** Immediate Health

**Section 313 Toxic Chemicals** None Listed

**State Regulations:** None

**International Regulations:** WHMIS Controlled Product Hazard Class: D2B

**California Cleaning Product Right to Know Act of 2017 (SB 258)**

Raw Material	CAS No	Function	List
0	Proprietary	Film Former	Not Applicable
Water	7732-18-5	Diluent	Not Applicable
Acrylic Polymer	Witheld	Film Former	Not Applicable
Dipropylene Glycol Monobutyl Ether	29911-28-2	Solvent	Not Applicable
Polyurethane Resin	Proprietary	Film Former	Not Applicable
Defoamer	Witheld	Defoaming Agent	Not Applicable
Wetting Agent	Witheld	Wetting Agent	Not Applicable
Surfactant	Witheld	Wetting Agent	Not Applicable

**16. Other Information:**

**Prepared By:** Jeremy Waldner

**Telephone Number:** 651-481-1900

**Revision Date:** 1/1/2020

**Supersedes:** 5/11/2018

**This SDS applies to the following Part Numbers**

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



<b>Health</b>	1
<b>Flammability</b>	0
<b>Physical hazards</b>	0