

1. Identification**Product Identity:** Stainless Seal**Recommended Use:** Water-borne floor polish**Producer / Distributor**Multi-Clean
600 Cardigan Road
Shoreview, MN 55126**Telephone Number for Information:** 651-481-1900**Emergency Telephone Number:** 800-255-3924

73

**2. Hazard Identification****Classification:****Health Class**Skin Irritation Category 2
Eye Irritant Category 2
Skin Sensitizer Reproductive Toxicity Category 2
Specific Target Organ Toxicity - Repeated Exposure Category 2**Physical Class****Environment Class****Label****Symbols****Signal Word** Warning**Hazard Statements:**Causes skin and eye irritation.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.
May cause damage to red blood cells, liver, kidneys, lungs, and/or spleen through prolonged or repeated exposure.**Precautionary Statements:**Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
Contaminated work clothing should not be allowed out of the workplace.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
IF ON SKIN: Wash with plenty of water.
If skin irritation or rash occurs: Get medical attention.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical attention.
Get medical attention if you feel unwell.
Store locked up.
Dispose of contents in accordance with local regulations.**3. Composition/Information on Ingredients**

Ingredient	CAS Number	Percent by Weight
Emulsified Acrylic Polymers	Proprietary	10 - 30
Diethylene Glycol Monoethyl Ether	111-90-0	3 - 7
Tributoxyethyl Phosphate	78-51-3	1 - 5
Diethylene Glycol Butyl Ether	112-34-5	3 - 7
Water	7732-18-5	60 - 100

4. First-Aid Measures:**Ingestion:** If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by mouth to an unconscious person.**Eye Contact:** Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.**Skin Contact:** Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.**Inhalation:** Move to fresh air.**5. Fire Fighting Measures:****Suitable Extinguishing Media:** Not Applicable**Special Fire Fighting Procedures:** Not Applicable**Unusual Fire and Explosion Hazards:** Not Applicable

6. Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:**Exposure Limits****Ingredients**

None Listed

CAS Number

XXXX

Osha PEL

XXX

ACGIH TLV

XXX

Exposure Controls

Engineering Controls: Normal good ventilation is sufficient

Personal Protective Equipment:

Eye Protection: Approved Safety Goggles or Glasses

Skin Protection: Chemical Resistant Rubber Gloves

Respiratory Protection: Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State: Liquid

pH: 8 - 9

Appearance: Milky White

Specific Gravity (H₂O = 1): 1.034

Odor: Mild Acrylic

Flammability: None

Solubility: Complete

Flash Point: None

Evaporation Rate: NA

Boiling Point: > 212° F (100°C)

Vapor Pressure (MM HG): NA

%volatile: 83%

Vapor Density (Air = 1): > 1

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: None are known

Incompatibility (Materials to Avoid): None are known

Hazardous Decomposition or By-products: None

Hazardous Polymerization: Will not Occur

Conditions to Avoid: None are known

11. Toxicological Information:

Signs and Symptoms of Overexposure: Causes irritation on contact and may cause an allergic skin reaction

Acute Effects:

Eye Contact: Causes irritation on contact

Skin Contact: Causes mild irritation on prolonged or repeated contact and may cause an allergic skin reaction

Inhalation: None Known

Ingestion: May be harmful if swallowed

Target Organ Effects: Red blood cells, Liver, Kidneys, Lungs, Spleen and Suspected of damaging fertility or the unborn child

Chronic Effects: May cause damage to red blood cells, liver, kidneys, lungs, and/or spleen through prolonged or repeated exposure.

Acute Toxicity Values:

Oral LD₅₀ > 5000 mg/kg

Dermal LD₅₀ > 5000 mg/kg

Inhalation (Vapor) LC₅₀ Vapors Considered Non-Toxic

12. Ecological Information:

Persistence and Degradability: Product is Readily Biodegradable

Bio Accumulative Potential: Not Available

Mobility in Soil: Not Available

Aquatic Toxicity: Not Available

13. Disposal Considerations:

Solution may contain zinc. For material not used in normal use, Coagulate with ferric chloride or sulfate and then lime. Decant the clear liquid to a sanitary sewer. Dispose of the coagulum by sanitary landfill or incinerator. Follow all existing pollution control ordinances.

14. Transportation Information:

UN Number: None
Shipping Name: Buffing or Polishing Compound
Transport Hazard Class: None
Packing Group: None
Marine Pollutant: NO

15. Regulatory Information:


TSCA Status: All ingredients listed
Clean Water Act: None of the chemicals in this product are listed under the CWA
Clean Air Act: Glycol Ethers (Diethylene Glycol Butyl Ether(112-34-5)) is listed as a hazardous air pollutant (HAP)
CERCLA Reportable Quantity: None
SARA Title III Information:
Section 302 Extremely Hazardous Chemicals: None Listed
Section 311 / 312 Hazard Category: Immediate Health
Section 313 Toxic Chemicals Glycol Ethers (Diethylene Glycol Butyl Ether(112-34-5))
State Regulations: None
International Regulations: WHMIS Controlled Product Hazard Class: D2B
California Cleaning Product Right to Know Act of 2017 (SB 258)

Raw Material	CAS No	Function	List
Water	7732-18-5	Diluent	Not Applicable
Acrylic Polymers	Withheld	Film Former	Not Applicable
Diethylene Glycol Butyl Ether	112-34-5	Solvent	Not Applicable
Diethylene Glycol Monomethyl Ether	111-90-0	Solvent	Not Applicable
tris(2-butoxyethyl) phosphate	78-51-3	Stabilizer	Not Applicable
Trimethylpentanediol Monoisobutyrate	25265-77-4	Plasticizer	Not Applicable
Propylene Glycol	57-55-6	Solvent	Not Applicable
Alcohol Ethoxylate	34398-01-1	Detergent	Not Applicable
Isothiazolinone	26172-55-4	Biocide	Not Applicable
Polydimethylsiloxane Emulsion	Withheld	Defoaming Agent	Not Applicable
Fluorosurfactant	Proprietary	Wetting Agent	Not Applicable

16. Other Information:

Prepared By: Jeremy Waldner
Telephone Number: 651-481-1900
Revision Date: 1/1/2020
Supersedes: 2/7/2018
This SDS applies to the following Part Numbers
 904073
 904075
 904077

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



Health	1
Flammability	0
Physical hazards	0