

## 64 Millennium Q TECHNICAL BULLETIN

**64 Millennium Q is a non-acid restroom disinfectant cleaner that disinfects and cleans.**

### One Step Disinfectant Germicidal Detergent

Disinfectant, Non-Food Contact Sanitizer, Cleaner, Mildewstat, Fungicide, Virucide\*, for Hospitals, Nursing Homes, Whirlpool, Food Service, Commercial, Institutional, and Industrial Use, Suitable For Use in Meat and Poultry Plants, Schools, Dairy, Equine, Poultry/Turkey Farm, Veterinary, Restaurant, Food Handling and Process Areas.

### Cleans and Disinfects

64 Millennium Q delivers non-acid disinfection performance in an economical concentrate. Millennium Q is for use on hard, non-porous surfaces in: Public restrooms, shower and bath areas, hospitals, dental offices, health care facilities, schools and colleges, athletic facilities and locker rooms, correctional facilities, hotels, day care centers and nurseries.

\* Kills Pandemic 2009 H1N1 influenza A virus.

**Multi-Clean 64 Millennium Q Disinfectant Cleaner (EPA registration No. 1839-95-5449)** has demonstrated effectiveness against viruses similar to the 2019 Novel Coronavirus (SARS-CoV-2, the cause of COVID-19) on hard, non-porous surfaces.

Therefore, **Multi-Clean 64 Millennium Q Disinfectant Cleaner** can be used against the 2019 Novel Coronavirus (SARS-CoV-2, the cause of COVID-19) when used in accordance with directions for use against Norovirus (Norwalk Virus) on hard, non-porous surfaces.

For more information about the 2019 Novel Coronavirus (SARS-CoV-2, the cause of COVID-19), refer to the CDC website <https://www.cdc.gov/coronavirus/2019-ncov/index.html> for additional information.

### 64 Millennium Q Specifications

Appearance .....	Red Liquid, Floral Scent
pH (undiluted) .....	11- 12
Flashpoint .....	None
Dilutions .....	2 oz./gal. (1:64)
Water Hardness .....	Effective up to 400 ppm CaCO <sub>3</sub>
.....	In the presence of 5% serum
.....	contamination
% Active .....	4.5% (Quaternary)
Foam .....	Low - Moderate
EPA Registration No .....	1839-95-5449
EPA Establishment No.....	5449-MN-01
DIN Registration Number.....	02435500
USDA.....	A4, C1, D1

64 Millennium Q meets the CDC criteria for disinfectant products with label claims for non-enveloped viruses: Norovirus (Norwalk Virus). 64 Millennium Q is intended for use on hard non-porous surfaces, follow label instructions for non-enveloped viruses.

**At 8 ounces per gallon with a 10 minute contact time, this product is effective against Canine Parvovirus.**

## 64 Millennium Q Claims

At 2 ounces per gallon with a 10 minute contact time, this product is effective against:

### Virucidal Activity:

Adenovirus Type 2  
Hepatitis B virus (HBV)  
Hepatitis C virus (HCV)  
Herpes Simplex Type 1  
Human Coronavirus  
Human Immunodeficiency Virus Type 1 (HIV-1)  
Influenza A2/Japan  
Norovirus (Norwalk Virus)  
Pandemic 2009 H1N1 Influenza A Virus  
SARS Associated Coronavirus

### Fungicidal Activity:

Trichophyton mentagrophytes

### Mildewstat Activity:

Aspergillus niger

### Bactericidal Activity:

Brevibacterium ammoniagenes  
Enterobacter aerogenes  
Escherichia coli  
Klebsiella pneumoniae  
Methicillin resistant Staphylococcus aureus (MRSA)  
Pseudomonas aeruginosa  
Salmonella enterica  
Salmonella schottmuelleri  
Shigella dysenteriae  
Staphylococcus aureus  
Streptococcus faecalis  
Streptococcus pyogenes (Clinical - Flesh Eating Strain BIRD M3)  
Streptococcus salivarius  
Vancomycin intermediate resistant Staphylococcus aureus (VISA)  
Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant  
Acinetobacter baumannii  
Enterococcus faecium  
Vancomycin resistant Enterococcus faecalis (VRE)

---

### Animal Viruses (2oz/gallon):

Avian Influenza A Virus (H3N2) (Avian Reassortant)  
Avian Influenza Virus Type A (Turkey/WIS/66) (H9N2)  
Bovine Viral Diarrhea Virus (BVDV)  
Feline Calicivirus (FCV)  
Porcine Respiratory & Reproductive Syndrome Virus (PRRSV)  
Vaccinia Virus

### Animal Viruses (8oz/gallon):

Canine Parvovirus  
Canine Adenovirus  
Canine Coronavirus  
Canine Parainfluenza Virus  
Feline Panleukopenia  
Feline Rhinotracheitis  
Feline Coronavirus  
Feline Picornavirus  
Porcine Parvovirus

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical and semi-critical medical device surfaces.

**DISINFECTION** - To disinfect inanimate, hard, non-porous surfaces add 2 ounces of this product per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required.

**BACTERICIDAL STABILITY of USE-DILUTION:** Efficacy tests confirm that this product when diluted as directed remains effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella enterica* for up to 30 days when stored in a sealed container such as a spray bottle. If the diluted product becomes visibly dirty or contaminated, it must be discarded and fresh diluted product must be prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the diluted product does not apply to open containers such as buckets or pails.

To disinfect food processing premises: Before using this product, food products and packaging materials must be removed from the area or carefully protected. For floors, walls, and storage areas, add 2 ounces of 64 Millennium Q per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. After use, all surfaces in the area must be thoroughly rinsed with potable water.

To disinfect food service establishment food contact surfaces: Before using this product, food products and packaging materials must be removed from the area or carefully protected. For countertops, appliances, tables, add 2 ounces of 64 Millennium Q per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid and rinse the surface with potable water. This product cannot be used to clean the following food contact surfaces: utensils, glassware and dishes.

**BACTERICIDAL ACTIVITY** - When diluted at the rate of 2 ounces per gallon of water, this product exhibits effective, one-step disinfectant activity against the organisms: *Pseudomonas aeruginosa* PRD 10, *Escherichia coli*, *Klebsiella pneumoniae*, *Salmonella schottmuelleri*, *Salmonella enterica*, *Streptococcus salivarius*, *Brevibacterium ammoniagenes*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Enterobacter aerogenes*, *Staphylococcus aureus*, Methicillin resistant *Staphylococcus aureus* (MRSA), Vancomycin intermediate resistant *Staphylococcus aureus* (VISA), *Streptococcus pyogenes* (Clinical-Flesh Eating Strain BIRD M3) and *Klebsiella pneumoniae* New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant, *Acinetobacter baumannii*, *Enterococcus faecium*, Vancomycin resistant *Enterococcus faecalis* (VRE) and meets all requirements for hospital use.

**FUNGICIDAL ACTIVITY** - At the 2 ounces per gallon dilution, this product is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes* (causative agent of Athlete's Foot Fungus) (a cause of ringworm), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet. Follow the Disinfection directions.

**\*VIRUCIDAL ACTIVITY** – 64 Millennium Q, when used on environmental, inanimate, hard, non-porous surfaces at 2 ounces per gallon of water, exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus Type 2 (causative agent of upper respiratory infections), Vaccinia virus (representative of the Pox virus group), Human Coronavirus (ATCC VR-740, Strain 229E), Human Immunodeficiency Virus Type I (HIV-1), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Norovirus (Norwalk Virus), Bovine Viral Diarrhea Virus (BVDV), Feline calicivirus (FCV), SARS Associated Coronavirus, Porcine Respiratory & Reproductive Syndrome Virus (PRRSV) (Strain NVSL) and Avian Influenza A. Follow the Disinfection directions.

At 8 ounces per gallon or equivalent dilution rate (2812 ppm (mg/L) active quat), this product is effective against the following viruses on hard non-porous environmental surface with a 10 minute contact time: Canine Parvovirus (CPV), Canine Adenovirus (causative agent of Infectious Canine Hepatitis), Canine Coronavirus (causative agent of Canine Coronavirus Disease, Canine Gastroenteritis), Canine Parainfluenza Virus (causative agent of viral Kennel Cough), Feline Panleukopenia (Feline Parvovirus), Feline Rhinotracheitis (causative agent of Feline Herpes virus Infection), Feline Coronavirus (causative agent of Feline Infectious Peritonitis), Feline Picornavirus and Porcine Parvovirus.



600 Cardigan Road  
Shoreview Minnesota  
6Phone 51-481-1900  
www.multi-clean.com