



1. Identification

Product Identity: Stampede

Recommended Use: Water-Based Floor Finish Stripper

Producer / Distributor

Multi-Clean
600 Cardigan Road
Shoreview, MN 55126

Telephone Number for Information: 651-481-1900

Emergency Telephone Number: 888-255-3924

2. Hazard Identification

GHS Classification:

Acute Toxicity Category 5
Skin corrosion Category 1
Serious Eye Damage Category 1
Reproductive Toxicity Category 2
Specific Target Organ Toxicity - Single Exposure Category 1
Specific Target Organ Toxicity - Repeated Exposure Category 1

Corrosive to Metal
Acute Aquatic Toxicity Category 3

Label

Symbols



Signal Word Danger

Hazard Statements:

May be harmful if swallowed.
Causes severe skin burns and eye damage.
Causes damage to lungs and respiratory system, kidneys, liver, through prolonged or repeated exposure.
May cause damage to blood, and/or thyroid through prolonged or repeated exposure.
May be corrosive to metals.

Precautionary Statements:

Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not breathe dust/fume/gas/mist/vapors/spray.
Do not eat, drink or smoke when using this product.
Wash hands thoroughly after handling.
Keep only in original container.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
Wash contaminated clothing before reuse.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.
If exposed or concerned: Get medical attention.
Absorb spillage to prevent material damage.
Store locked up.
Dispose of contents in accordance with local regulations.

3. Composition/Information on Ingredients

| Ingredient | CAS Number | Percent by Weight |
|---------------------------------|------------|-------------------|
| Sodium Metasilicate | 6834-92-0 | 1 - 5 |
| Sodium Hydroxide | 1310-73-2 | 1 - 5 |
| Dipropylene Glycol Methyl Ether | 34590-94-8 | 3 - 7 |
| Ethylene Glycol Phenyl Ether | 122-99-6 | 3 - 7 |
| Sodium Xylene Sulfonate | 1300-72-7 | 1 - 5 |
| Ethanolamine | 141-43-5 | 3 - 7 |
| Water | 7732-18-5 | 60 - 100 |

4. First-Aid Measures:**Inhalation:** Move to fresh air.**Ingestion:** If Swallowed: Do not induce vomiting. Drink two glasses of water, follow with orange juice and immediately call a physician. Never give anything by mouth to an unconscious person.**Eye Contact:** Immediately flush eyes with sanitary eye wash solution or running water for at least 15 minutes. Obtain medical attention. Continue to flush eyes until medical attention arrives**Skin Contact:** Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.**5. Fire Fighting Measures:****Suitable Extinguishing Media:** Not Applicable**Special Fire Fighting Procedures:** Not Applicable**Unusual Fire and Explosion Hazards** Not Applicable**6. Accidental Release Measures:**

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:**Handling:** Keep from freezing. Keep out of reach of children.**Storage:** Normal care for storage.**8. Exposure Controls / Personal Protection:****Exposure Limits:****Ingredients**Sodium Hydroxide
Dipropylene Glycol Methyl Ether
Ethanolamine**CAS Number**

1310-73-2

Osha PEL

2 mg/M3

ACGIH TLV

2 mg/M3

Exposure Controls:**Engineering Controls:**

Ventilate to maintain vapor levels below exposure limits.

Personal Protective Equipment:**Eye Protection:**

Approved Safety Goggles or Glasses

Skin Protection:

Chemical Resistant Rubber Gloves

Respiratory Protection:

Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:**Physical State:** Liquid**Specific Gravity (H₂O = 1):** 1.079**Solubility:** Complete**Flammability:** None**Flash Point:** None**Boiling Point:** > 212° F (100°C)**Appearance:** Blue**Vapor Pressure (MM HG):** NA**Vapor Density (Air = 1):** NA**Auto Ign Temp****Decomposition Temp****Freezing Point****Odor:** Floral/Solvent**Viscosity****pH:** > 13**%volatile:** 75 - 95%**LEL / UEL****Evaporation Rate:** NA**10. Stability and Reactivity:****Chemical Stability:** Stable**Possibility of Hazardous Reactions:** None are known**Incompatibility (Materials to Avoid):** None are known**Hazardous Decomposition or By-products:** None**Hazardous Polymerization:** Will not Occur**Conditions to Avoid:** None are known

11. Toxicological Information:

Signs and Symptoms of Overexposure: Eye Contact: Possible burning, tearing, redness and corneal damage. Skin Contact: Possible slippery feeling, redness, swelling and burns. Symptoms may be delayed.

Acute Effects:

Eye Contact: Severe Eye damage can result from direct contact.

Skin Contact: Causes severe skin burns

Inhalation: None Known

Ingestion: May be harmful if swallowed

Target Organ Effects: Central nervous system, Liver, Kidneys, Lungs, Respiratory system, Blood

Chronic Effects: Causes damage to lungs and respiratory system, kidneys, liver, through prolonged or repeated exposure. May cause damage to central nervous system, blood, and/or thyroid through prolonged or repeated exposure.

Acute Toxicity Values:

Oral LD₅₀ 2000 - 5000 mg/kg

Dermal LD₅₀ 2000 - 5000 mg/kg

Inhalation (Vapor) LC₅₀ 20 - 50 mg/l

12. Ecological Information:

Persistence and Degradability: Not Available

Bio Accumulative Potential: Not Available

Mobility in Soil: Not Available

Aquatic Toxicity: Harmful to Aquatic Life

13. Disposal Considerations:

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations. Waste from normal cleaning procedures may be neutralized and disposed of in a sanitary sewer depending on the materials and/or contaminants being cleaned as well as local, state and federal sewer regulations.

14. Transportation Information:

UN Number: UN3266

Shipping Name: Corrosive, liquid, basic, inorganic, N.O.S. (Sodium Hydroxide)

Transport Hazard Class: 8

Packing Group: II

Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: Sodium Hydroxide (1310-73-2) is listed in the Clean Water Act as a Hazardous Substance.

Clean Air Act: Glycol Ethers (Ethylene Glycol Phenyl Ether (122-99-6)) is listed as a hazardous air pollutant (HAP)

CERCLA Reportable Quantity: Sodium Hydroxide (1310-73-2), > 1000 lbs.

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals: None Listed

Section 311 / 312 Hazard Category: Immediate Health

Section 313 Toxic Chemicals Glycol Ethers (Ethylene Glycol Phenyl Ether (122-99-6))

State Regulations: None

International Regulations: WHMIS Controlled Product Hazard Class: E

California Cleaning Product Right to Know Act of 2017 (SB 258)

| Raw Material | CAS No | Function | List |
|---------------------------------|------------|----------------|----------------|
| Water | 7732-18-5 | Diluent | Not Applicable |
| Sodium Xylenesulfonate | 1300-72-7 | Processing Aid | Not Applicable |
| Sodium Hydroxide | 1310-73-2 | Builder | 20 |
| Sodium Metasilicate | 6834-92-0 | Builder | Not Applicable |
| Ethylene Glycol Phenyl Ether | 122-99-6 | Solvent | Not Applicable |
| Monoethanolamine | 141-43-5 | Cleaning Agent | Not Applicable |
| Dipropylene glycol methyl ether | 34590-94-8 | Solvent | Not Applicable |

| | | | |
|------------------------------|---------------|-----------|----------------|
| ethylenediamine tetraacetate | 64-02-8 | Acid | Not Applicable |
| Ethoxylated Alcohol | 68439-46-3 | Detergent | Not Applicable |
| Fragrance | Not Available | Fragrance | Not Applicable |
| Colorant | Withheld | Dye | Not Applicable |

16. Other Information:

Prepared By: Mike Tarvin

Telephone Number: 651-481-1900

Revision Date: 3/1/2021

Supersedes: 1/1/2020

This SDS applies to the following Part Numbers

906853
906857

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



| | |
|-------------------------|---|
| Health | 2 |
| Flammability | 0 |
| Physical hazards | 0 |