

MC Disinfecting Wipes are intended for use in hospitals and healthcare settings, laundry rooms, laboratory, transport vehicles, veterinary clinics, zoos, beauty salons, barber shops, funeral homes, mortuaries, schools, gyms, shopping centers, and catering facilities^{††}. This product is effective against the virus that causes COVID-19⁵ on hard, non-porous surfaces in 30 seconds!

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical and semi-critical medical device surfaces.

CLEANING: Use one wipe to completely remove all visible debris from surfaces to be treated.

DISINFECTING: To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for disinfecting. Use enough wipes for treated surface to remain visibly wet for 5 minutes. For visibly soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry.

This product is an effective disinfectant against Escherichia coli (E. coli) O157:H7 (ATCC 43895), Pseudomonas aeruginosa (ATCC 15442), Salmonella enterica (Salmonella) (ATCC 10708), Staphylococcus aureus (ATCC 6538), Streptococcus pyogenes (Strep) (ATCC 19615), Vancomycin resistant Enterococcus faecium (VRE) (ATCC 51559), Methicillin resistant Staphylococcus aureus (MRSA) (ATCC 33591), Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA) Genotype USA400, Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA) Genotype USA300, Vancomycin intermediate resistant Staphylococcus aureus (VISA) (ATCC 700699) and Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant (CDC Clinical Isolate No. 10002).

†† When using on food contact surfaces: thoroughly rinse all treated surfaces with potable water.

Multi-Clean[®]

MC Disinfecting Wipes

***VIRUCIDAL/BACTERICIDAL/PSEUDOMONICIDAL⁶ ANTIBACTERIAL FORMULA CLEANS AND DISINFECTS³**

**KILLS COLD¹ & FLU VIRUS^{†††}
KILLS 99.9% OF VIRUSES* AND BACTERIA, KILLS HIV-1
KILLS ANTIBIOTIC RESISTANT BACTERIA: CA-MRSA,
MRSA, VISA, VRE AND NDM-1
KILLS PANDEMIC 2009 H1N1 INFLUENZA A VIRUS
(FORMERLY CALLED SWINE FLU)
SOLVENT, ALCOHOL, BLEACH FREE**

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides..... 0.14%
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides..... 0.14%

INERT INGREDIENTS

Total..... 99.72%
Total..... 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panels for additional precautionary statements.

EPA REG. NO. 1839-190-5449

EPA EST. NO. 5449-MN-1

Multi-Clean

600 Cardigan Road, Shoreview, Minnesota 55126

NET CONTENTS: MINIMUM WEIGHT 3.8 lbs.

300 WIPES 6" x 8" (15cm x 20cm)

REORDER 909438

***VIRUCIDAL ACTIVITY:** Influenza A2/Japan/305/57 Virus (H2N2), Herpes Simplex Virus 1 (ATCC VR-260), Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV) and Herpes Simplex Virus 2 (ATCC VR-734) when the treated surface is allowed to remain wet for 5 minutes.

KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Human Hepatitis B Virus (HBV) and Human Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Allow surface to remain visibly wet for 5 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

FUNGICIDAL ACTIVITY: This product is an effective fungicide against Trichophyton interdigitale, formerly Trichophyton mentagrophytes (ATCC 9533) (causative agent of Athlete's Foot Fungus) (a cause of ringworm) (a cause of ringworm of the foot), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous surfaces commonly contacted by bare feet. The surface must remain visibly wet for 3 minutes. Allow surfaces to air dry.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, VIRUCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM)

SANITIZING/DEODORIZING: To sanitize/deodorize hard, non-porous surfaces, wipe surface, using enough wipes to allow treated surface to remain wet for 15 seconds for Staphylococcus aureus, Klebsiella pneumoniae, Listeria monocytogenes, Escherichia coli O157:H7 and 60 seconds for Campylobacter jejuni.

Let surface dry. For visibly soiled surfaces, clean excess dirt first. For surfaces that may come in contact with food, a potable water rinse is required.

For plastic and painted surfaces, spot test on an inconspicuous area before use.

This product will not harm most surfaces including acrylic, fiberglass and vinyl.

Do not use on unpainted wood.

Not for personal cleansing.

This is **not** a baby wipe!

Do not flush in toilet.



TO OPEN PACKAGE: Open lid of the dispenser. Cut "V" out of the top of the plastic bag. Pull out the first wipe approximately 6 to 8 inches from the center of the roll. Place entire bag inside of center pull dispenser. Thread the wipe through the opening on the dispenser. Close the lid of the dispenser.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

CONTAINER STORAGE/DISPOSAL: Store in an area inaccessible to children. Wipes: Dispose of wipe in trash after use. Do not flush. Dispenser: Refill only with this product. Do not reuse or refill except as described in the directions for use. Keep dispenser closed to retain moisture. Plastic Bag: Do not reuse or refill empty plastic bag. Offer empty plastic bag for recycling if available or discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

¹ Human Coronavirus (ATCC VR-740)

³ When used according to disinfection directions

⁵ SARS-Related Coronavirus 2

⁶ Pseudomonas aeruginosa

^{†††} Influenza A Virus, Pandemic 2009 H1N1 Influenza A Virus, Human Coronavirus¹

MC Disinfect Wipe Pail

